

Bath Fizzy Mango Papaya 50mg

Sample ID: 2108CSALA6712.6947

Matrix: Topical

Type: Other

Sample Size: 1 units

Batch Size:

Batch#:

Produced: 08/17/2021

Collected: 08/19/2021

Received: 08/19/2021

Completed: 08/26/2021


Client

Hemp Oil Distro

Lic. #

1151 W Hackley Ave

Norton Shores, MI 49441

| | | | |
|---|---|---|--|
|  | <p style="text-align: center;">ND</p> <p style="text-align: center;">Total THC</p> | <p style="text-align: center;">46.2358 mg/package</p> <p style="text-align: center;">Total CBD</p> | <p style="text-align: center;">46.2358 mg/package</p> <p style="text-align: center;">Total Cannabinoids</p> |
|---|---|---|--|

Cannabinoids

Pass

Testing method: HPLC-SOP 101

| Analyte | LOD | LOQ | Results | Results |
|---------|-------|-------|------------|---------|
| | mg/g | mg/g | mg/package | mg/g |
| CBD | 0.018 | 0.025 | 46.2358 | 0.5504 |
| CBC | 0.021 | 0.025 | ND | ND |
| CBCA * | 0.022 | 0.025 | ND | ND |
| CBDa | 0.013 | 0.025 | ND | ND |
| CBDV | 0.02 | 0.025 | ND | ND |
| CBDVA * | 0.024 | 0.025 | ND | ND |
| CBG | 0.023 | 0.025 | ND | ND |
| CBGa | 0.019 | 0.025 | ND | ND |
| CBN | 0.024 | 0.025 | ND | ND |
| CBT * | 0.021 | 0.098 | ND | ND |
| THCa | 0.018 | 0.025 | ND | ND |
| THCV | 0.024 | 0.025 | ND | ND |
| THCVA * | 0.024 | 0.025 | ND | ND |
| Δ8-THC | 0.022 | 0.025 | ND | ND |
| Δ9-THC | 0.021 | 0.025 | ND | ND |

Package = 1 Bath Bomb, 84.0 grams; 0.0 mg/package Total THC; 46.2358 mg/package Total CBD;

Date Tested: 08/19/2021

Total THC = THCa * 0.877 + d9-THC

Total CBD = CBDa * 0.877 + CBD

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

* Denotes analytes pending ISO-17025 scope addition

| | | |
|---|--|---|
| <p style="text-align: center;">NT</p> <p style="text-align: center;">Moisture</p> <p style="text-align: center;">Moisture Analyzer SOP-103</p> | <p style="text-align: center;">NT</p> <p style="text-align: center;">Water Activity</p> <p style="text-align: center;">Water Activity Meter SOP-102</p> | <p style="text-align: center;">NT</p> <p style="text-align: center;">Foreign Matter</p> <p style="text-align: center;">Visual Inspection SOP-600</p> |
|---|--|---|


 ISO / IEC 17025:2017 ACCREDITED
 LABORATORY
 Accreditation No. 73653



 Neya Jourabchian
 Laboratory Director
 08/26/2021



 Brandon Hill
 COA Review
 08/26/2021